www.tastaturen.com®

GTG-71/62 Silikonschaltmatte

Silicone mate with 62 or 71 keys, PC like layout, optional Platine



Description

The silicone conductive mat of the series of GTG-71 has an alphanumeric layout with 71 keys, like a standard PC keyboard. Beside the main key field a number block and the cursor keys are separately arranged.

The keyboard is very compact. By the high-quality contact piles the keyboard is very reliable in industrial applications.

The key mat can be customized and also even in the layout.


To the basic features you find also further information in the overview of the GTG-62 and GTG-71 product series at the bottom of this page in "catalog cross reference".

- Internet and Windows95 keys
- •

The PCB

Suitably to the mat there is also a PCB ready for installation with integrated controller.

The controller is like the GCK-940 and can likewise be customized to your needs.





Specification

Mechanical data

Dimensions: 209 x 102 x 9 mm

Weight: 0,1 kg
Degree of Protection: IP65
Housing: Rubber
Color: grey

Keys

Key Technology: conductiv rubber

Number of Keys: 71 & 62 Keyboard Layout: MF2-German

Operational Life: 5 mio. keystrokes min.

Page: GTG-71/62 Silikonschaltmatte

Actuation Force: 1,3 N Key Legend: silk screen

Environment

Operating Temperature: from -40 °C to +150 °C Storage Temperature: from -50 °C to +175 °C

Order Information

Order No.	Article	
mate with 71 keys		
KK1027	GTG-71-MATTE-GER	german layout
KK1005	GTG-71-MATTE-US	US layout
mate with 62 keys		
KM1030	GTG-62-MATTE-GER	german layout
KM1031	GTG-62-MATTE-US	US layout

Accessories

Order No.	Article	
KM1101	GTG-71-Platine-GER	PCB, german layout
KM1102	GTG-71-Platine-US	PCB, US layout
KM1032	GTG-62-PlatineGER	PCB, AT interface, german layout
KM1033	GTG-62-Platine-US	PBC, US layout, AT interface
ZK1011	GKA-182-AT	AT cable, 80cm
ZK1210	GKA-195-PS2	PS/2 cable, 180cm

Links

Click!	Titel
	GTG-71/GTG-62 Series Silicone mat keyboard with 71 or 62 keys in many different designs

sales@www.tastaturen.com Anrufen: (0 89) 89 43 99-0 Faxen: (0 89) 89 43 99-11